

FLOODED WITH LIGHT

weinor all-glass elements



GLASS SYSTEMS by weinor – transparent, suitable for retrofitting, multifunctional

weinor is the recognised specialist for elegant all-glass sliding or folding elements. These provide outstanding protection from weather and at the same time allow smooth transitions from inside to outside.



Full glass sliding door w17 easy

Thanks to its premium-quality fittings, weinor's full glass sliding door is a breeze to operate and also locks if required. The easy-glide all glass sliding door feels equally at home as a wind and weather protection feature for patios, balconies and pavilions, or even as a room divider. This full glass system can be retrofitted to numerous types of roof and offers maximum transparency as there are no vertical frames.



Utility slide-and-turn partition w26-c

The utility slide-and-turn partition w26-c from weinor is the elegant wind and weather protection solution for light-flooded balconies and loggias. With its all-glass construction, it offers maximum transparency without troublesome vertical frame sections. It is easy to slide and turn away into the sideways parking position. This saves space and ensures that the panes are easily accessible from inside for cleaning purposes – two "must haves" for use on balconies and loggias. Given adequate structural stability, also for retrofitting on existing patio roofs.



Frame colour WT 029/80077



Easily operated

It doesn't get any easier than this: thanks to its premium-quality fittings, weinor's full glass sliding door is a breeze to operate and also locks if required.




reddot award 2017
winner



FULL GLASS SLIDING DOOR w17 easy


Highlights, features and benefits



Soft-Closing-System

The w17 easy full glass sliding door is supplied as standard with the new Soft-Closing-System. It allows for the extremely quiet and easy movement of the glass leaves. The system also comes with high-quality stainless steel


rollers and guide rails. In addition, all the leaf actuators, leaf stop bars are fitted with softer cushioning elements at the end positions and on the wall gap sealing profiles. There are also two options.



Soft closure aid option

A soft closure aid option can also be added to the Soft-Closing-System. With this the leaf is

supported when closing similar to a modern kitchen drawer. This enhances the closing process.



Easy-close and park option

weinor has developed the park option to make it easier to open the glass elements. The opening

process is slowed down and ensures the glass leaves are fixed in the closed position.



Clever CleanCase® – easy cleaning of running rails

The new standard floor rail has a practical CleanCase® – for the easy removal of dirt using a hand brush or cloth.

- reliable drainage outside



Retrofittable – for virtually every patio roof or veranda

Being a floor-mounted structure, weinor's full glass sliding door wall fits under virtually every patio roof as well as many other roof structures.

- weinor's patio roof can be extended to create a Glasoase®


- no additional costs for structural safety adjustments
- matching profiles from weinor for easy retrofitting
- easy to clean and easily accessible from the outside



Lockplate version – opens on two sides, closes in the centre



Single system – opens on one or two sides, closes on the left and/or right



Corner unit – frameless full glass corner, e.g. for balconies and loggias



All-glass elements for balconies and loggias

weinor has many suitable solutions for anyone wishing to use their balcony whatever the weather. The utility slide-and-turn partition is the ideal solution for balconies and loggias where a corner solution is required – the operation and handling is effortless.

USER FRIENDLY UTILITY SLIDE-AND-TURN PARTITION w26-c


Highlights, features and benefits



Simply slide open and swing neatly out of the way

The utility slide-and-turn partition runs on only one narrow guide rail and therefore is suitable for the majority of existing balcony balustrades.

The glass panes are simply pushed to the side or round the corner and turned into the parking position to save space.



Slide them round the corner – and open up the entire front

The glass panes of the utility slide-and-turn partition can be completely guided round the


corners. Opening direction to the right, to the left or in both directions, as you wish.



Retrofittable – ideal for existing balconies and loggias

The utility slide-and-turn partition is a so-called “hanging system” and therefore does not put any stress on the balcony


balustrade. Especially suitable for retrofitting to existing balconies or loggias.




Ideal balcony glazing – for a fantastic open air feeling

With the utility slide-and-turn partition, the panes are guided to the wall and turned into the parking position. The glass front is opened completely, for the perfect open-air feeling.


What's more, the outside panes can easily be reached in this position, making them easy to clean.



Lockplate version – opens on two sides, closes in the centre



Single system – opens on one or two sides, closes on the left and/or right



Corner unit – frameless full glass corner, e.g. for balconies and loggias



BiConnect
Simply intuitive.



Frame colour WT 029/70786 | Pattern 3-716



Alternatively, you can operate every element of your awning on your patio or terrace using RTS or io-homecontrol® from **somfy**.

Great comfort thanks to smart solutions

Would you like to be able to control your patio lighting, heating system or awning at the press of a button from your sun lounger? And for the awning to retract all on its own if it's windy and rainy even if you're not at home? Then BiConnect from weinor is just the right solution for you. An easy to operate hand transmitter with or without display even sends the interference-free radio signal through metal facades and thick insulating layers. And it's even possible to control them using a tablet etc. with the BiEasy app.

ACCESSORIES and CONTROL – Comfort and security



Tempura heating system – 2 variations for every living style

Depending on individual taste there are 2 models to choose from: the classic tried and tested Tempura with traditional rounded design or the new Tempura Quadra with modern attractive clean lines.

The compact heating systems blend discreetly into every style of architecture and suits any facade. The instant heat is a superb feature and offers the ultimate in comfort combined with state of the art technology.



LED/Design light bar/3Spot

Our light bar extends the amount of time you can use your patio roof until well into the evening. The light bars can be wall-mounted or fitted to a roof support depending on your preference.

- warm, atmospheric light thanks to special glass lenses
- highly energy-efficient
- operating life of 30,000 hours
- radio-controlled dimmer using BiConnect
- light bar housing in same colour as patio roof



BiSens sun, wind and rain sensors

Sensor technology automatically opens your awning when the sun comes out and can optionally retract it in the wind and rain:

- solar sensor
- sun and wind sensor (solar-powered version also available)
- sun, wind and rain sensor

Over 200 modern FRAME COLOURS

Colour manufacturers make every effort to guarantee colour stability. Despite this, as a result of the ban on the use of heavy metals in powder coatings, it therefore cannot be excluded that colours in general, and Fire Red (RAL 3000) in particular, may fade with time. Colours may differ significantly due to the printing process.

Maximum colour safety: weinor has over 200 different frame colours for you to choose from. You can choose from diverse colours which harmonise with the architecture.

Identical colours – for a perfect match

As weinor does all the powder coating in its own workshop, you can also rest assured that different weinor products come with the same top-class colour tonality and identical gloss level.

Choose from an abundance of high-quality colours:

- 47 standard RAL rack colours, silk gloss
- 9 scratchproof, resistant trend colours with an elegant textured look (standard)
- over 150 special RAL colours

RAL 8003
Clay brown

RAL 6012
Black green

RAL 1002
Sandy yellow

RAL 1015
Light ivory

RAL 1003
Signal yellow

9 trend colours

WT 029/80081
Iron glimmer
effect P7

WT 029/80077
Approx.
DB 703 metallic

WT 029/10797
Approx.
RAL 9010

WT 029/71289
Approx.
RAL 7016

WT 029/90146
Approx.
RAL 9006 metallic

WT 029/50704
Approx.
RAL 6009 metallic

WT 029/90147
Approx.
RAL 9007 metallic


WT 029/70786
Sparkling iron
effect

WT 029/60740
Chestnut 04
metallic



Award-winning design

Timelessly classic or puristically modern – with a weinor product, any outdoor area can be used better and for longer. Numerous design awards bear testimony to our commitment to provide good designs:



Top weinor quality for certain



Premium quality
made in Germany



Most definitely an original product

Embodying innovation – constant enhancements

Tried and tested weinor quality – certified production processes, top standards

Sustainability and responsibility – high environmental standards and regular checks

weinor certificate of authenticity

Every weinor product is delivered with a certificate of authenticity. Ask your retailer and partner for it!

Important:

Fabric qualities: weinor awning fabrics meet strict quality requirements and are produced using state-of-the-art production technology. Despite this, blemishes like creases, rippling in the seam and hem area, overstretching in the hem area and honey-combing cannot be ruled out. This has no negative impact on the quality and operating life and are not a reason for rejection. For more detailed information: www.weinor.com/fabric_qualities

Awnings and conservatory awnings: must be retracted when it is raining or windy – risk of pooling! Fabrics that are allowed to become wet may show increased signs of creasing and wrinkling. They should therefore be extended again to dry when the weather is better.




Frame colours: depending on the frame colour ordered, we deliver all small parts, as well as gear

handles and gear boxes in black (similar to RAL 9005), white (similar to RAL 9016), or in grey (similar to weinor 7319).

Patio roofs and Glasoasen*:

Ask a qualified retailer and partner about the causes of condensation formation and any cracking sounds which may occasionally be heard (and how to avoid them from the planning stage onwards).

GLASS SYSTEMS

		The full glass sliding door w17 easy		
	Standing System	Single system	Lockplate version	Corner unit
				
Technology				
Max. width of system	6,600 mm	10,000 mm	combination of single systems and/or lockplate versions	
Max. height of system	2,600 mm	2,600 mm	2,600 mm	
Max. number of leafs	2–5	4–10	2–10 per page	
Opening type	parallel-sliding			
Glass type (single-pane safety glass)	6 mm, 8 mm, 10 mm (satin-finish as option)			
Height compensation	0 mm / – 25 mm	0 mm / – 25 mm	0 mm / – 25 mm	
Universal 26 mm floor rail with CleanCase®. Optional without CleanCase®, with drainage holes	●	●	●***	
Flat 13 mm floor rail, accessible	○	○	○	
Guide rail type	2 to 5 tracks, 50 mm to 110 mm construction depth, recessed into ground or surface mounted			
Operation and locking from the inside	●	●	●	
Design				
47 standard frame colours and 9 trend colours	●	●	●	
Over 150 other RAL colours	○	○	○	
Other structural colours	○	○	○	
Accessories				
Gap sealing profiles	○	○	○	
Operation from the outside	○	○	○	
Lockcase and hung bolt	○	○	○ (not possible in 90° corner)	
Additional lock for active leaf	—	—	—	
Additional standard lock on fixed leaf	○	○	○	
Side frame/compensation profile	—	—	—	
Wall gap sealing profile	○	○	○	
Brush profiles	○	○	○	
Optional height compensation profile	—	—	—	
Heat-soak test	○	○	○	
V2A stainless steel knobs	—	—	—	
Aluminium handle bar in system colour	●	●	●	
V4A stainless steel knobs	○	○	○	
V4A stainless steel cup pull handle	○	○	○	
Soft-Closing-System	○	○	○	
Soft closure aid option (WGSP must be used)	○	—	○	
Easy-close and park option (WGSP must be used)	○	○	○	

* Larger sizes on request
 ** Customised solution on request
 *** No CleanCase® in the corners


Product benefits in detail

● standard ○ option — unavailable




The utility slide-and-turn partition w26-c


Single system



Lockplate version



Corner unit (90° and 135°)



8,000 mm*

16,000 mm*

combination of single systems and/or lockplate versions (90° and 135° corner)

2,400 mm*

2,400 mm*

2,400 mm

max. 10

max. 20

2 – 10 per page

opening to inside as standard, opening to outside for additional cost

8 mm, 10 mm (satin-finish as option)

standard: without | optional: + 4 mm / – 6 mm

—

—

—

—

—

—

single-track, 50 mm construction depth, recessed into ground or surface mounted

●

●

●

●

●

●

○

○

○

○

○

○

○

○

○

○

○

○

○

○

○

○

○

○

—

—

—

15 mm

15 mm

15 mm

—

—

—

—

—

—

+ 4 mm / – 6 mm (can be permanently set)

○

○

○

●

●

●

—

—

—

○

○

○

—

—

—

—

—

—

—

—

—

—



—

—




Front cover: **Frame colour** WT 029/90147
Back cover: **Frame colour** WT 029/70786 | **Pattern** 3-716

We reserve the right to make technical changes as well as changes in range and product portfolio. For technical reasons, the colours may appear slightly different when printed.



Experience the whole weinor.com world

Your specialist weinor partner will be pleased to advise you:

Patent no

994221	2202376
1206609	2383402
1382770	2458107
1522650	2631386
1541776	3054063
1564364	EP0916781
1835089	EP0959195
1936061	EP1310609
1936062	EP1936105
2009192	EP2136214
2072709	EP3048213B1
2136013	EP3054063B1
2199484	